

Nurses' Perceptions of Spirituality and Spiritual Care Giving: A Comparison Study Among All Health Care Sectors in Jordan

Ghaith Ahmad Bani Melhem, Ruqayya S Zeilani¹, Ossama Abed. Zaqqout¹, Ashraf Ismail Aljwad¹, Mohammed Qasim Shawagfeh, Maysoon Abd Al- Rahim¹

Department of Palliative Care and Pain Management, Royal Medical Services, King Hussein Medical Center,

¹Departments of Clinical Nursing, The University of Jordan, Faculty of Nursing, Amman, Jordan

Address for correspondence: Mr. Ghaith Ahmad Bani Melhem; E-mail: ghaithmelhem1981@yahoo.com

ABSTRACT

Aims: This study aimed to describe nurses' perceptions of spirituality and spiritual care in Jordan, and to investigate the relationship between their perceptions and their demographic variables.

Methods: The study used a cross-sectional descriptive design and recruited a convenience sample of 408 Jordanian registered nurses to complete the spiritual care giving scale.

Results: The findings of the study demonstrated that most of the participating nurses had a high level of spirituality and spiritual care perception. Significant differences were found between male and female nurses' perceptions of spirituality and spiritual care ($P < 0.05$); previous attendance of courses on spiritual care also made a significant difference to perceptions ($P < 0.05$).

Conclusions: The research findings suggest that, Jordanian nurses' gender made a difference in their perceptions of spirituality and spiritual care. They had satisfactory levels of perception of spirituality and spiritual care. Moreover, spiritual care courses appeared to have a positive impact on their perception of spirituality and spiritual care. Enhancing nursing care by integrating standardized spiritual care into the current nursing care, training, and education should also be emphasized.

Key words: Jordan, Nurses, Spiritual care, Spirituality

INTRODUCTION

Today, spiritual care is considered an essential part of the overall care provided to improve the quality of life for patients and their families.^[1,2] The World Health Organization (WHO) has stressed the importance of patients' physical, psychological, social, and spiritual well-being rather than just focusing on the disease.^[3]

The meaning of spirituality and spiritual care among nurses is culturally constituted and influenced by many factors, such as the nurse's ethnic background, religious affiliation, level of education, and clinical experience.^[4-6] Moreover, different nursing specialists have different perceptions of spirituality and spiritual care. Many studies have argued that hospice and palliative care

This is an open access article distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as the author is credited and the new creations are licensed under the identical terms.

For reprints contact: reprints@medknow.com

How to cite this article: Melhem GA, Zeilani RS, Zaqqout OA, Aljwad AI, Shawagfeh MQ, Al- Rahim MA. Nurses' perceptions of spirituality and spiritual care giving: A comparison study among all health care sectors in Jordan. Indian J Palliat Care 2016;22:42-9.

Access this article online

Quick Response Code:



Website:
www.jpalliativecare.com

DOI:
10.4103/0973-1075.173949

nurses have a better perception of spirituality and spiritual care and are more competent at providing spiritual care than other nursing specialists.^[7,8] In addition, nurses who were employed in Midwifery, Pediatric or Psychiatric Departments demonstrated more perception of spirituality and spiritual care than other nurses (Chan, 2009;^[9] Ozbasaran *et al.*, 2011).^[6]

Nurses' perceptions of spirituality and spiritual care affect their ability to provide spiritual care.^[6,7,10,11] Many authors have, however, suggested that current nurse perceptions of spirituality and spiritual care are mostly based on the Western "Judeo-Christian" culture; this is not necessarily consistent with the perception of spirituality and spiritual care of nurses from other cultures.^[1,11-15]

Although nurses consider spiritual care to be at the heart of the care they provide, their perceptions and levels of understanding of spirituality and spiritual care vary, which may affect their ability to provide a consistent quality of care.^[5-7] In addition, the readiness of nurses to provide spiritual care to their patients is influenced by their perception and understanding of spirituality and spiritual care. Studies conducted to explore nurses' perceptions of spirituality and spiritual care showed that nurses who were more knowledgeable on the meaning of spirituality were more able to provide spiritual care.^[6,7,10,11]

Nurses' demographic characteristics can influence their individual perceptions of spirituality and spiritual care. Previous studies have reported the influence of some of these characteristics, such as a nurse's age, marital status, education level, and years of experience.^[9,11,16]

Globally, several studies have provided valuable insight into the range of nurse perceptions of spirituality and spiritual care. However, there is a lack of research investigating nurses' perceptions of spirituality and spiritual care in Jordan. This study provides some initial research into Jordanian nurses' understanding of spirituality and spiritual care to inform these nurses, other stakeholders, and nurse educators of the current situation, any potential for improvements, and the impact on patient and family care.

Spirituality

Spirituality is an abstract, subjective, and complex term, whose definition varies between individuals, philosophies, and cultures, and which has abstract components associated with many subjective meanings.^[5,17] These characteristics lead many authors to argue that there is no agreement on the definition of spirituality as a concept.^[5,14,18] On the other hand, many studies have revealed a clear definition

of spirituality in the nursing literature (Tanyi, 2002; Vachon, Fillion, and Achille, 2009).^[19,20] Studies have tended to explore the understanding of spirituality from the perspective of a predominantly Western culture, with the majority being either Christians or without religion. These studies found spirituality to be highly related to the way people searched for the meaning of life, and that it was generally perceived as being separate from religion.^[11,12] It has been demonstrated, however, that Muslims perceive their spirituality as being inseparable from their religion and as being derived from the Holy Qur'an and the Hadiths (Sunnah).^[6,21-23] This view of the inseparability of spirituality and religion was revealed in nursing studies that were conducted among other cultures, such as Taiwanese and Maltese.^[8,24]

Spiritual care

Spiritual care is defined as "actions to meet the spiritual needs of the patient and family."^[21] Nurses provide spiritual care to meet the spiritual needs of the patients and their family in an attempt to improve the quality of life during the patient's disease trajectory.^[1,2]

The responsibility to provide spiritual care is an emerging subject in nursing literature. Several studies' findings have confirmed that nurses consider this aspect to be a vital part of nursing care.^[17,25,26] Although spiritual care is a vital and basic requirement of the nursing role, many nurses reported that they need further support when providing spiritual care to their patients, and most of them asked for help from multi-faith centers within the hospital.^[13,24,27]

Studies suggest that providing spiritual care could help patients improve their physical comfort, decrease levels of anxiety, and increase their hope for the future.^[5,26,28] Furthermore, spiritual practices serve as coping resources, improve pain management, enhance surgical outcomes, safeguard against depression, and minimize the chance of patients engaging in substance misuse and suicidal behaviors.^[29] In addition, people reporting a greater awareness of their spirituality co-reported that they are healthier.^[30]

Studies conducted among different nursing specialists and in different cultures and aiming to discover what types of nursing spiritual care can be provided to satisfy patients' and families' spiritual needs reported many different interventions. The spiritual care interventions most often reported by nurses were a compassionate presence with patients, accepting and respecting patients' feelings, consulting chaplains about patients' concerns, sharing in patients' religious practices, educating patients, maintaining patient confidentiality, being nonjudgmental, advocating and facilitating patient and family

needs, assisting patients in accomplishing uncompleted tasks, facilitating patient communication with family and relatives, and reassuring patients.^[16-18,31]

METHODS

Study design

A cross-sectional descriptive design was used to describe current nurses' perceptions of spirituality and spiritual care and to investigate the relationship between their perceptions and demographic variables within eight hospitals in Jordan. A survey was used as the data collection method. This method was considered appropriate because the research purposes required obtaining baseline information from subjects, rather than deducing cause-and-effects relationship between variables, and because it helped the researcher to gather extensive data from a large group of nurses within a short period of time.^[32]

The setting

This study was conducted in Jordan. In Jordan, the health care system is divided into four main sectors; University Affiliated Hospitals ($n = 2$), private hospitals ($n = 61$), governmental hospitals affiliated to the Ministry of Health (MOH) ($n = 31$), and military hospitals affiliated to the Royal Medical Services ($n = 12$) (MOH statistics, 2011). Table 1 displays the total number of hospitals in Jordan, the number of hospitals in each sector, the total number of beds, and the number of registered nurses. This study included all health care sectors in Jordan that provide health care services and took place in eight different hospitals: Two hospitals from each health care sector.

Sample

A convenience sample of 560 registered nurses was invited to participate in this study. Registered nurses who were Arabs, who were employed in one of the hospitals involved in the study, and who had agreed to participate

were eligible to take part in the study; there were no specific criteria for eligible participants regarding their personal characteristics (i.e., age, gender, etc.).

Procedure

The data were collected from study participants between 20th June and 15th September 2013. Registered nurses from the eight selected hospitals in Jordan were invited to voluntarily participate in the study. Approval for the study was given by the institutional review committee in each hospital. The researcher directly contacted the majority of registered nurses who were available in various departments at the proposed hospitals during the data collection period and invited them to participate in the study. All registered nurses who met the inclusion criteria and agreed to participate received an information sheet about the study's purpose and procedures, together with the study questionnaire. Confidentiality and anonymity in data handling were assured. A stamped addressed envelope was also provided to facilitate the collection of the questionnaires. The return of the questionnaire was considered as an agreement to participate.

Spiritual care-giving scale

The spiritual care-giving scale (SCGS)^[15] was adopted, after obtaining the authors' permission, to determine the nurses' perception of spirituality and provision of spiritual care. The SCGS was used in this study because it was developed in multicultural society to measure perceptions of spirituality and spiritual care in practice, and it has satisfactory reliability and validity with Cronbach's alpha 0.86.^[15]

The tool consists of 35 statements that are categorized under five factors, as follows. The first factor, "attributes for spiritual care," is an eight-item factor that explores participants' views on the importance of having certain attributes to enable a nurse to engage in spiritual care-giving. The second factor, "spirituality perspectives," has eight items exploring the definition of spirituality from the participant's perspective. The third factor, "defining spiritual care," contains seven items which explain the meaning of spiritual care from a nurse's perspective. The fourth factor is "spiritual care attitudes." This factor has seven items which are used to evaluate individuals' attitudes toward perspectives. The fifth factor, "spiritual care values," includes five items that explore nurses' beliefs and understanding about spirituality and spiritual care values.

Each statement in the SCGS is rated on a six-point Likert scale ranging from one "strongly agree" to six "strongly disagree." The SCGS is scored by calculating the arithmetic

Table 1: Number of hospitals, beds, and registered nurses among all health sectors in Jordan

Health care sector	Number of hospitals	Number of beds	Number of registered nurses
Private	61	3888	6829
MOH	31	4373	3699
RMS	12	2412	2619
UAH	2	1106	945

MOH: Ministry of Health, RMS: Royal Medical Services, UAH: University Affiliated Hospitals

mean across all items for the average score, which ranges from 1 to 6. In general, ratings of four and higher indicate agreement with scale items.

Data analysis

Descriptive statistics were used to describe and summarize study participants' demographic characteristics. An independent sample two-tailed *t*-test, One-way analysis of variance and a Pearson's product-moment correlation test were used to infer group differences in participants' perception of spirituality and spiritual care and their demographic characteristics. The level of significance was set at 0.05.

RESULTS

Demographic characteristics

The total number of participants who completed and returned the questionnaires was 408, representing an overall response rate of 72.8% (408 out of 560) from all health care sectors in Jordan. In this study, more than the half of the participants were females ($n = 208, 51\%$) and 49% ($n = 200$) were males. The means of the participating nurses' age and length of clinical experience were 28.2 years (standard deviation [SD] 4.90 years), 5.5 years (SD 4.86 years), respectively. Of the 408 participating nurses, 374 (91.7%) reported that they held a bachelor's degree in nursing. More than one-third of the participants (39.5%) were working in adult medical or surgical wards, whereas about one-third 32.2% ($n = 131$) were working in Intensive Care Units. 379 (92.9%) participants reported that they had not previously taken spiritual care courses. Table 2 shows the demographic data of the participants who were involved in the study.

Results of spiritual care-giving rating scale

The mean value of the average item on the SCGS was 4.56 (SD = 0.65) with a median of 4.00 (max–min: 5.64–1.64) indicating a high level of agreement with scale items. A full set of results is presented in Table 3.

Item-by-item analysis revealed that Item 2 (“spirituality is an important aspect of human existence”) and Item 35 (“spiritual care is important because it gives the patient hope”) had the highest average score of all the SCGS items ($M = 5.15 \pm 0.96$; $M = 4.90 \pm 1.01$, respectively). Item 1 (“everyone has spirituality”) and Item 12 (“spiritual care is more than religious care”) obtained the lowest average score ($M = 2.83 \pm 1.10$; $M = 2.99 \pm 1.53$, respectively).

Table 2: Demographic characteristics of participating nurses

Variable	n (%)	Mean±SD	t-test	
			t	P
Gender				
Males	200 (49)	4.54±0.71	-2.97	0.003*
Females	208 (51)	4.71±0.58		
Marital status				
Married	207 (50.7)	4.63±56	0.112	0.911
Unmarried	201 (49.3)	4.64±74		
Spiritual courses				
Yes	29 (7.1)	5.00±49	3.20	0.001*
No	379 (92.9)	4.60±66		
			ANOVA	
			F	P
Health care sector				
MOH	96 (23.5)	4.51±0.59	3.28	0.021*
RMS	114 (27.9)	4.60±0.60		
Private	118 (28.9)	4.71±0.77		
UAH	80 (19.6)	4.72±0.61		
Working area				
Adult M.S	161 (39.5)	4.60±0.64	1.07	0.37
Pediatric M.S	30 (7.4)	4.47±0.67		
Adult ICU	102 (25.1)	4.72±0.68		
Pediatric ICU	29 (7.1)	4.72±0.51		
Emergency	52 (12.8)	4.63±0.57		
O.R	18 (4.4)	4.78±0.64		
Others	16 (3.9)	4.40±0.47		
Age		28.2±4.90		

n=408, **P*≤0.05. MOH: Ministry of Health, RMS: Royal Medical Services, UAH: University Affiliated Hospitals, SD: Standard deviation, ICU: Intensive Care Unit, M.S: Medical or Surgical

Relationship between spiritual care-giving scale and sample characteristics

The results showed no statistically significant relationship between average total SCGS score and nurses' age and length of clinical experience ($P = 0.945, 0.587$, respectively). In addition, marital status was not linked to any statistical difference in average total SCGS score ($t = 0.112$, $df = 406$, $P = 0.911$), and neither was area of work ($F = 0.379$, $df = 404$; $P = 0.685$), nor their marital status ($t = 0.112$, $df = 406$, $P = 0.911$). On the other hand, there was a significant link between participants' gender and their average total SCGS score ($t = -2.97$, $df = 406$, $P = 0.003$); the average total SCGS score for male nurses was 4.54 (SD = 0.71), which was lower than the average total SCGS score obtained by female nurses ($M = 4.71$, SD = 0.58). Furthermore, there was a significant link ($t = 3.20$, $df = 406$, $P = 0.001$) between the average total SCGS scores and previous attendance of previous spiritual care courses; the average total SCGS score for nurses who had previously attended spiritual care

Table 3: The average total scores of the items and factors of SCGS among nurses

Item number	Factor/item	Mean±SD
	Attributes for spiritual care (Factor 1)	4.72±0.76
27	Spiritual care should take into account of what patients think about spirituality	4.61±1.10
28	Nurses who are spiritual aware are more likely to provide spiritual care	4.74±1.12
29	Spiritual care requires awareness of one's spirituality	4.68±1.09
33	The ability to provide spiritual care develops through experience	4.72±1.10
36	Spirituality is influenced by individual's life experiences	4.83±1.03
37	Spirituality helps when facing life's difficulties and problems	4.69±1.08
38	Spiritual care requires the nurse to be empathetic toward the patient	4.64±1.12
39	A trusting nurse-patient relationship is needed to provide spiritual care	4.88±1.00
	Spirituality perspectives (Factor 2)	4.57±0.75
1	Everyone has spirituality	2.83±1.10
2	Spirituality is an important aspect of human beings	5.15±0.95
3	Spirituality is part of a unifying force which enables individuals to be at peace	4.89±1.00
4	Spirituality is an expression of one's inner feelings that affect behavior	4.84±0.97
5	Spirituality is part of our inner being	4.87±1.01
6	Spirituality is about finding meaning in the good and bad events of life	4.44±1.20
7	Spiritual well-being is important for one's emotional well-being	4.81±1.10
8	Spirituality drives individuals to search for answers about meaning and purpose in life	4.71±1.02
	Defining spiritual care (Factor 3)	4.73±0.75
14	Spiritual care is a process and not a one-time event or activity	4.67±1.05
15	Spiritual care is respecting a patient's religious or personal beliefs	4.84±1.02
16	Sensitivity and intuition help the nurse to provide spiritual care	4.82±1.02
17	Being with a patient is a form of spiritual care	4.52±1.11
18	Nurses provide spiritual care by respecting the religious and cultural beliefs of patients	4.82±0.91
19	Nurses provide spiritual care by giving patients time to discuss and explore their fears, anxieties, and troubles	4.60±1.11
26	Nurses provide spiritual care by respecting the dignity of patients	4.83±0.97
	Spiritual care attitudes (Factor 4)	4.68±0.76
21	Spiritual care enables the patient to find meaning and purpose in their illness	4.54±1.08
22	Spiritual care includes support to help patients observe their religious beliefs	4.52±1.05
24	I am comfortable providing spiritual care to patients	4.66±1.09
31	Spiritual care should be instilled throughout a nursing education program	4.64±1.12
32	Spiritual care should be positively reinforced in nursing practice	4.72±1.08
35	Spiritual care is important because it gives patient hope	4.90±1.01
40	A team approach is important for spiritual care	4.77±1.04
	Spiritual care values (Factor 5)	4.11±0.91
9	Without spirituality, a person is not considered whole	4.40±1.34
10	Spiritual needs are met by connecting oneself with other people, higher power or nature	4.35±1.23
11	Spiritual care is an integral component of holistic nursing care	4.55±1.20
12	Spiritual care is more than religious care	2.99±1.53
13	Nursing care, when performed well, is itself, spiritual care	4.33±1.20

n=408. SCGS: Spiritual care-giving scale, SD: Standard deviation

courses was ($M = 5.00$; $SD = .49$), which was higher than the average total SCGS score indicated by nurses who had not previously had such courses ($M = 4.60$, $SD = .66$). In addition, there was a significant difference in the average total SCGS score between different health care sectors; a *post-hoc* test revealed a significant difference between the private and the governmental sectors in relation to the average SCGS score ($P = 0.049$). Looking at the means to describe the results, it seems that nurses working in the private sector had an average SCGS score ($M = 4.71$;

$SD = 0.7$) which was significantly higher than nurses working in the governmental sector.

DISCUSSION

The findings of this study revealed a high level of spirituality and spiritual care perceptions of spirituality and spiritual care among participating nurses in all health care sectors in Jordan. Although the majority of

participating nurses had not taken any previous spiritual educational courses, the majority was oriented toward spirituality, and they appreciated the importance of spiritual care being given to their patients. This result is consistent with a number of studies conducted in many Western and Eastern cultures which explored nurses' perceptions of spirituality and spiritual care; these studies found that nurses had an acceptable understanding of spirituality and a willingness to provide spiritual care to their patients.^[13,16,33] In a study conducted by Wong *et al.*,^[11] Chinese nurses reported a high level of understanding and awareness of spirituality as a concept, and reported enthusiasm and great interest in giving spiritual care to their patients. Conversely, our results are inconsistent with the study of Ozbasaran *et al.*^[6] which reported confused perceptions of spirituality and spiritual care among Turkish nurses. This difference might be related to the variation in both study tools.

Participating nurses' perceptions of "attributes for spiritual care" indicated that 87% of nurses believe that spiritual care has some characteristics which are considered as basic prerequisites to providing this type of care. This finding possibly suggests that study participants acknowledge that establishing a rapport and building trust relationship with patients would help the nurse to engage in providing spiritual care and would facilitate addressing patient's spiritual needs. The results resonate with the study conducted by Tiew *et al.*^[15] who found that nursing students in Singapore viewed the nurse-patient relationship as crucial in facilitating appropriate spiritual nursing care. Leeuwen *et al.*^[18] found that nurses considered the spiritual dimension sensitive; a topic they were not able to discuss with patients unless they had established a resilient trust relationship with them. Furthermore, Baldacchino^[24] suggested that because of the sensitive nature of a patient's spirituality, nurses need to establish a trust relationship with patients before addressing their spiritual needs.

The results of this study suggest that although most nurses showed agreement with a number of "spirituality perspectives," they did not agree that "everyone has spirituality." The findings indicated that the participating nurses believe that spirituality does not exist in all human beings. This could be due to lack of knowledge of the definition of spirituality and spiritual care. In addition, Islamic culture may contribute to these findings as the majority of participants were Muslims.

In this study, responses to items regarding "defining spiritual care" suggested that most nurses perceive that good spiritual care means focusing on respecting patients'

beliefs and dignity as well as respecting their needs to share their feelings and concerns with others. This finding is consistent with the study by Leeuwen *et al.*^[18] in which nurses reported that spiritual care helps them to respect the patients' emotions and beliefs and to pay attention to their feelings and concerns. In addition, Abu-El-Noor^[34] found that Muslim patients in Gaza need nurses to appreciate their humanity, confidentiality, traditions, and belief system.

Although most nurses considered spiritual care as a nursing competency, they also considered Item 40 "A team approach is important for spiritual care" is essential for the provision of spiritual care. This result could be related to the complexity of the spiritual dimension; it is difficult for the nursing profession alone to satisfy patients' spiritual needs. This hypothesis is supported by Baldacchino,^[24] who found that despite nurses' acknowledgment of their professional role in providing spiritual care they viewed themselves as lacking some skills to deliver this care appropriately. Therefore, they suggested that applying a multidisciplinary team approach for the provision of spiritual care may support nurses in their role.

Regarding "spiritual care attitudes," the majority of participating nurses acknowledged that the significance of spiritual care is in giving hope to patients. This finding is consistent with McSherry and Jamieson,^[13] who found that about 77% of British nurses considered hope to be essential part of human spirituality, and that 95% of them viewed hope as one of the most important spiritual needs that the nurse has to address in caring for their patients.

Another remarkable finding, which is indicated by the high score on Item 31, ("spiritual care should be instilled throughout a nursing educational program"), is nurses' need to have spiritual care integrated into nursing education and training in Jordan. Incorporating spirituality into nursing educational programs is recommended to enhance nurses' knowledge and skill in handling spiritual issues and to increase their awareness of patients' spiritual needs, which would facilitate the provision of appropriate holistic care.^[11,35,36] Since Muslim's spirituality is interlinked with religion and influenced by cultural beliefs and attitudes, many researchers who conducted their research in Muslim countries suggested developing spiritual care training courses based on Islamic religious values to increase understanding of spiritual aspects.^[37]

In terms of "spiritual care values," most nurses considered that optimal care for patients required integration of spiritual care; however, they disagreed that spiritual care

is more than religious care. One might query whether this finding suggests a narrow perception of spirituality and confounds the definition for the term with religious beliefs. This might be related to a view of the inseparability of religion and spirituality.

The current study reveals another worthy finding on the issue of "spirituality and spiritual care education or training." The majority of participants had not attended spiritual courses or lectures (92.9%, $n = 379$), either in nursing schools or continuing education at hospitals. Similarly, in a British nursing survey about 79% of surveyed nurses reported that they had not received an adequate education on spiritual care.^[13] Such a result might be related to the absence of a formal establishment of spirituality and spiritual care training or courses either in Jordanian nursing schools' curricula or in in-service continuing educational programs at hospitals; a state of affairs that reflects a low interest in the spiritual domain. McSherry and Jamieson^[13] suggest that the deficit in spiritual training among nurses is due to the fact that governmental and educational institutions do not consider issues related to spirituality to be an important part of nurses' education.

Relationship between spiritual care-giving scale and sample characteristics

The study revealed some existing correlations between nurses' demographic variables and their perceptions of spirituality and spiritual care. In a similar way to Tuck *et al.*'s^[16] study, this study revealed significant differences in perceptions of spirituality and spiritual care between males and females; female nurses reported a much more level of spirituality and spiritual care perception than male nurses. This might be related to the fact that female nurses have a better ability to share emotions and feelings with patients than male nurses. This explanation is supported by Milligan (2001),^[38] who found that nurses considered that female nurses tend to focus on patients' emotions and feeling while male nurses focus on the physical aspects of nursing care. Contrary to the findings of previous studies,^[6,16] in this study, there is no correlation between nurses' "perceptions of spirituality and spiritual care" and their age. Such result could suggest that nurses do not become "more" spiritual with age.

Further analysis showed that receiving spiritual care education appeared to have a positive impact on perceptions of spirituality and spiritual care. The findings might suggest that spiritual care education increases nurses' awareness of the importance of this aspect of

care. This positive correlation has been previously reported in the nursing literature.^[8,36,39] For example, Wu and Lin^[8] surveyed 350 clinical nurses to explore their perceptions of spirituality and spiritual care. They found that nurses who received spiritual care lectures reported higher levels of spirituality and spiritual care perception.

Finally, with regards to differences among health care sectors, our findings revealed one variance between the health care sectors. This variance was between participants from private and governmental health care sectors. Nurses working in the private sector reported higher levels of spirituality and spiritual care perception than nurses working in the governmental sector. This difference could be related to other factors which have not been examined in this study such as factors related to clinical settings context, factors related to institutional care policies or factors related to in-service continuing educational programs. This difference warrants further examination in future studies.

Limitations

There are some limitations associated with the study: (1) Regarding the sampling technique, although the study encompassed all health care sectors in Jordan, the selection of study participants was done conveniently. The findings may not, therefore, represent the views of all nurses in Jordan. It could be that nurses who did not participate have different perceptions of spirituality and spiritual care from the participants in the study. However, the sample size was large enough to enhance the results' generalizability. Similar studies could be undertaken to investigate the views of different population that have not been explored previously such as nurse managers, or clinical nursing instructors. (2) As the nature of spirituality is complex and multidimensional, exploring the nurses' understanding and perceptions of spirituality and spiritual care using a questionnaire may not reflect all views. Findings from a qualitative research study to examine nurses' spiritual perspectives may help to explore the nurses' understanding of spirituality. (3) The study results revealed one variance among two health care sectors (private and governmental) and this difference could be related to other factors that were not examined in this study. This difference warrants examination in future studies.

Financial support and sponsorship

Nil.

Conflicts of interest

There are no conflicts of interest.

REFERENCES

- Lundberg PC, Kerdonfag P. Spiritual care provided by Thai nurses in intensive care units. *J Clin Nurs* 2010;19:1121-8.
- Bush T, Bruni N. Spiritual care as a dimension of holistic care: A relational interpretation. *Int J Palliat Nurs* 2008;14:539-45.
- World Health Organization. WHOQOL and Spirituality, Religiousness and Personal Beliefs (SRPB); 1998. Available from: http://www.who.int/mental_health/media/en/622.pdf. [Last retrieved on 2013 Mar 29].
- Campesino M, Belyea M, Schwartz G. Spirituality and Cultural Identification Among Latino and Non-Latino College Students. *Hisp Health Care Int* 2009;7:72.
- McSherry W, Cash K. The language of spirituality: An emerging taxonomy. *Int J Nurs Stud* 2004;41:151-61.
- Ozbasaran F, Ergul S, Temel AB, Aslan GG, Coban A. Turkish nurses' perceptions of spirituality and spiritual care. *J Clin Nurs* 2011;20:3102-10.
- Taylor EJ, Highfield MF, Amenta M. Predictors of oncology and hospice nurses' spiritual care perspectives and practices. *Appl Nurs Res* 1999;12:30-7.
- Wu LF, Lin LY. Exploration of clinical nurses' perceptions of spirituality and spiritual care. *J Nurs Res* 2011;19:250-6.
- Chan M. Factors affecting nursing staff in practising spiritual care. *Journal of Clinical Nursing* 2009;19:2128-36.
- Chan MF, Chung LY, Lee AS, Wong WK, Lee GS, Lau CY, et al. Investigating spiritual care perceptions and practice patterns in Hong Kong nurses: Results of a cluster analysis. *Nurse Educ Today* 2006;26:139-50.
- Wong KF, Lee LY, Lee JK. Hong Kong enrolled nurses' perceptions of spirituality and spiritual care. *Int Nurs Rev* 2008;55:333-40.
- Chiu L, Emblen JD, Van Hofwegen L, Sawatzky R, Meyerhoff H. An integrative review of the concept of spirituality in the health sciences. *West J Nurs Res* 2004;26:405-28.
- McSherry W, Jamieson S. An online survey of nurses' perceptions of spirituality and spiritual care. *J Clin Nurs* 2011;20:1757-67.
- Narayanasamy A. *Spiritual Care and Transcultural Care Research*. London: Quay Books Division; 2006.
- Tiew LH, Creedy DK. Development and preliminary validation of a composite spiritual care-giving scale. *Int J Nurs Stud* 2012;49:682-90.
- Tuck I, Pullen L, Wallace D. A comparative study of the spiritual perspectives and interventions of mental health and parish nurses. *Issues Ment Health Nurs* 2001;22:593-605.
- Noble A, Jones C. Getting it right: Oncology nurses' understanding of spirituality. *Int J Palliat Nurs* 2010;16:565-9.
- van Leeuwen R, Tiesinga LJ, Post D, Jochemsen H. Spiritual care: Implications for nurses' professional responsibility. *J Clin Nurs* 2006;15:875-84.
- Tanyi RA. Towards clarification of the meaning of spirituality. *J Adv Nurs* 2002;39:500-9.
- Vachon M, Fillion L, Achille M. A conceptual analysis of spirituality at the end of life. *Journal of Palliative Medicine* 2009;12:53-9.
- Lovering S. Arab Muslim Nurses' Experiences of the Meaning of Caring. Unpublished Doctoral Thesis. The University of Sydney, Australia; 2008. Available from: http://www.stti.iupui.edu/pp07/convention11/lovinger_sandra.pdf. [Last retrieved on 2013 Oct 30].
- Nabolsi MM, Carson AM. Spirituality, illness and personal responsibility: The experience of Jordanian Muslim men with coronary artery disease. *Scand J Caring Sci* 2011;25:716-24.
- Rassool GH. The crescent and Islam: Healing, nursing and the spiritual dimension. Some considerations towards an understanding of the Islamic perspectives on caring. *J Adv Nurs* 2000;32:1476-84.
- Baldacchino DR. Nursing competencies for spiritual care. *J Clin Nurs* 2006;15:885-96.
- Bailey ME, Moran S, Graham MM. Creating a spiritual tapestry: Nurses' experiences of delivering spiritual care to patients in an Irish hospice. *Int J Palliat Nurs* 2009;15:42-8.
- Wong KF, Yau SY. Nurses' experiences in spirituality and spiritual care in Hong Kong. *Appl Nurs Res* 2010;23:242-4.
- Molzahn AE, Shields L. Why is it so hard to talk about spirituality? *Can Nurse* 2008;104:25-9.
- Wright S, Neuberger J. Why spirituality is essential for nurses. *Nurs Stand* 2012;26:19-21.
- Larson D, Larson S. Spirituality's potential relevance to physical and emotional health: A brief review of quantitative research. *J Psychol Theol* 2003;31:37-51.
- Dunkin J, Dunn L. Spiritual perspectives and health: A random survey in a southern state. *Online J Rural Nurs Health Care* 2009;9:23-32.
- Narayanasamy A, Clissett P, Parumal L, Thompson D, Annasamy S, Edge R. Responses to the spiritual needs of older people. *J Adv Nurs* 2004;48:6-16.
- Polit D, Beck C. *Essentials of Nursing Research: Appraising Evidence for Nursing Practice*. 7th ed. Philadelphia: Lippincott Williams and Wilkins; 2010.
- Çetinkaya B, Azak A, Dündar S. Nurses' perceptions of spirituality and spiritual care. *Aust J Adv Nurs* 2013;31:5-10.
- Abu-El-Noor M. Spiritual care for cardiac patients admitted to coronary care units in Gaza Strip: Cardiac patients' perception. *IUG J Nat Eng Stud* 2012;20:73-98.
- Callister LC, Bond AE, Matsumura G, Mangum S. Threading spirituality throughout nursing education. *Holist Nurs Pract* 2004;18:160-6.
- Wu L, Liao Y, Yeh D. Nursing students' perceptions of spirituality and spiritual care. *J Nurs Res* 2012;20:219-27.
- Valizadeh S, Tazakori Z, Mohammadi E, Hassankhani H, Foladi M. Spiritual care experiences of Iranian nursing students. *J Hosp Palliat Nurs* 2012;14:268-73.
- Milligan F. The Concept of Care in Male Nurse Work: An Ontological Hermeneutic Study in Acute Hospitals. *Journal of Advanced Nursing* 2001;35:7-16.
- O'Shea ER, Wallace M, Griffin MQ, Fitzpatrick JJ. The effect of an educational session on pediatric nurses' perspectives toward providing spiritual care. *J Pediatr Nurs* 2011;26:34-43.

Reproduced with permission of the copyright owner. Further reproduction prohibited without permission.